




TUBE & PORT





TUBE TO TUBE CONNECTORS



N210: Designed for use with 1/16" (1.5 mm) ID tubing

N210-1	WHITE NYLON	\$.12 EACH
N210-2	BLACK NYLON	\$.12 EACH
N210-6	POLYPROPYLENE	\$.14 EACH
N210-9	POLYCARBONATE	\$.16 EACH
N210-20	KYNAR	\$.21 EACH



N220: Designed for use with 3/32" (2.25 mm) ID tubing

N220-1	WHITE NYLON	\$.12 EACH
N220-2	BLACK NYLON	\$.12 EACH
N220-6	POLYPROPYLENE	\$.14 EACH
N220-9	POLYCARBONATE	\$.16 EACH
N220-20	KYNAR	\$.22 EACH



N230: Designed for use with 1/8" (3 mm) ID tubing

N230-1	WHITE NYLON	\$.12 EACH
N230-2	BLACK NYLON	\$.12 EACH
N230-6	POLYPROPYLENE	\$.14 EACH
N230-9	POLYCARBONATE	\$.16 EACH
N230-20	KYNAR	\$.23 EACH



N220/210: Designed for use with 3/32" (2.25 mm) ID and 1/16" (1.5 mm) ID tubing

N220/210-1	WHITE NYLON	\$.12 EACH
N220/210-2	BLACK NYLON	\$.12 EACH
N220/210-6	POLYPROPYLENE	\$.14 EACH
N220/210-9	POLYCARBONATE	\$.16 EACH
N220/210-20	KYNAR	\$.23 EACH




N230/210: Designed for use with 1/8" (3 mm) ID and 1/16" (1.5 mm) ID tubing

N230/210-1	WHITE NYLON	\$.12 EACH
N230/210-2	BLACK NYLON	\$.12 EACH
N230/210-6	POLYPROPYLENE	\$.14 EACH
N230/210-9	POLYCARBONATE	\$.16 EACH
N230/210-20	KYNAR	\$.23 EACH



N230/220: Designed for use with 1/8" (3 mm) ID and 3/32" (2.25 mm) ID tubing

N230/220-1	WHITE NYLON	\$.12 EACH
N230/220-2	BLACK NYLON	\$.12 EACH
N230/220-6	POLYPROPYLENE	\$.14 EACH
N230/220-9	POLYCARBONATE	\$.16 EACH
N230/220-20	KYNAR	\$.23 EACH



TUBE TO TUBE CONNECTORS

N410-1	WHITE NYLON	\$.12 EACH
N410-2	BLACK NYLON	\$.12 EACH
N410-6	POLYPROPYLENE	\$.14 EACH
N410-20	KYNAR	\$.21 EACH



N410: Designed for use with 1/16" (1.5 mm) ID tubing

N420-1	WHITE NYLON	\$.12 EACH
N420-2	BLACK NYLON	\$.12 EACH
N420-6	POLYPROPYLENE	\$.14 EACH
N420-20	KYNAR	\$.22 EACH



N420: Designed for use with 3/32" (2 1/4 mm) ID tubing

N430-1	WHITE NYLON	\$.12 EACH
N430-2	BLACK NYLON	\$.12 EACH
N430-6	POLYPROPYLENE	\$.14 EACH
N430-20	KYNAR	\$.23 EACH



N430: Designed for use with 1/8" (3 mm) ID tubing

N420/410-1	WHITE NYLON	\$.12 EACH
N420/410-2	BLACK NYLON	\$.12 EACH
N420/410-6	POLYPROPYLENE	\$.14 EACH
N420/410-20	KYNAR	\$.23 EACH



N420/410: Designed for use with 3/32" (2.25 mm) ID and 1/16" (1.5 mm) ID tubing

N430/410-1	WHITE NYLON	\$.12 EACH
N430/410-2	BLACK NYLON	\$.12 EACH
N430/410-6	POLYPROPYLENE	\$.14 EACH
N430/410-20	KYNAR	\$.23 EACH




N430/410: Designed for use with 1/8" (3 mm) ID and 1/16" (1.5 mm) ID tubing

N430/420-1	WHITE NYLON	\$.12 EACH
N430/420-2	BLACK NYLON	\$.12 EACH
N430/420-6	POLYPROPYLENE	\$.14 EACH
N430/420-20	KYNAR	\$.23 EACH




N430/420: Designed for use with 1/8" (3 mm) ID and 3/32" (2.25 mm) ID tubing




TUBE TO TUBE CONNECTORS

1040-1	WHITE NYLON	\$.20 EACH
1040-2	BLACK NYLON	\$.20 EACH
1040-6	POLYPROPYLENE	\$.22 EACH
1040-9	POLYCARBONATE	\$.25 EACH
1040-20	KYNAR	\$.33 EACH



1040: Designed for use with 1/16" (1.5 mm) ID and 5/32" (4 mm) ID tubing

2040-1	WHITE NYLON	\$.20 EACH
2040-2	BLACK NYLON	\$.20 EACH
2040-6	POLYPROPYLENE	\$.22 EACH
2040-9	POLYCARBONATE	\$.25 EACH
2040-20	KYNAR	\$.35 EACH



2040: Designed for use with 3/32" (2.25 mm) ID and 5/32" (4 mm) ID tubing

3040-1	WHITE NYLON	\$.20 EACH
3040-2	BLACK NYLON	\$.20 EACH
3040-6	POLYPROPYLENE	\$.22 EACH
3040-9	POLYCARBONATE	\$.25 EACH
3040-20	KYNAR	\$.39 EACH




3040: Designed for use with 1/8" (3 mm) ID and 5/32" (4 mm) ID tubing

4040-1	WHITE NYLON	\$.22 EACH
4040-2	BLACK NYLON	\$.22 EACH
4040-6	POLYPROPYLENE	\$.24 EACH
4040-9	POLYCARBONATE	\$.27 EACH
4040-20	KYNAR	\$.41 EACH



4040: Designed for use with 5/32" (4 mm) ID tubing



TUBE TO TUBE CONNECTORS




AA: Designed for use with 1/16" (1.5 mm) ID tubing

AA-1	WHITE NYLON	\$.18 EACH
AA-2	BLACK NYLON	\$.18 EACH
AA-6	POLYPROPYLENE	\$.20 EACH
AA-9	POLYCARBONATE	\$.22 EACH
AA-20	KYNAR	\$.28 EACH



DD: Designed for use with 3/32" (2.25 mm) ID tubing

DD-1	WHITE NYLON	\$.18 EACH
DD-2	BLACK NYLON	\$.18 EACH
DD-6	POLYPROPYLENE	\$.20 EACH
DD-9	POLYCARBONATE	\$.22 EACH
DD-20	KYNAR	\$.28 EACH



CC: Designed for use with 1/8" (3 mm) ID tubing

CC-1	WHITE NYLON	\$.18 EACH
CC-2	BLACK NYLON	\$.18 EACH
CC-6	POLYPROPYLENE	\$.20 EACH
CC-9	POLYCARBONATE	\$.22 EACH
CC-20	KYNAR	\$.28 EACH




AD: Designed for use with 3/32" (2.25 mm) ID and 1/16" (1.5 mm) ID tubing

AD-1	WHITE NYLON	\$.18 EACH
AD-2	BLACK NYLON	\$.18 EACH
AD-6	POLYPROPYLENE	\$.20 EACH
AD-9	POLYCARBONATE	\$.22 EACH
AD-20	KYNAR	\$.28 EACH




AC: Designed for use with 1/8" (3 mm) ID and 1/16" (1.5 mm) ID tubing

AC-1	WHITE NYLON	\$.18 EACH
AC-2	BLACK NYLON	\$.18 EACH
AC-6	POLYPROPYLENE	\$.20 EACH
AC-9	POLYCARBONATE	\$.22 EACH
AC-20	KYNAR	\$.28 EACH




DC: Designed for use with 1/8" (3 mm) ID and 3/32" (2.25 mm) ID tubing

DC-1	WHITE NYLON	\$.18 EACH
DC-2	BLACK NYLON	\$.18 EACH
DC-6	POLYPROPYLENE	\$.20 EACH
DC-9	POLYCARBONATE	\$.22 EACH
DC-20	KYNAR	\$.28 EACH




TUBE TO TUBE CONNECTORS

3060-1	WHITE NYLON	\$.22 EACH
3060-2	BLACK NYLON	\$.22 EACH
3060-6	POLYPROPYLENE	\$.24 EACH
3060-9	POLYCARBONATE	\$.27 EACH
3060-20	KYNAR	\$.43 EACH




3060: Designed for use with 1/8" (3 mm) ID and 1/4" (6.25 mm) ID tubing

4060-1	WHITE NYLON	\$.22 EACH
4060-2	BLACK NYLON	\$.22 EACH
4060-6	POLYPROPYLENE	\$.24 EACH
4060-9	POLYCARBONATE	\$.27 EACH
4060-20	KYNAR	\$.45 EACH




4060: Designed for use with 5/32" (4 mm) ID and 1/4" (6.25 mm) ID tubing

5060-1	WHITE NYLON	\$.24 EACH
5060-2	BLACK NYLON	\$.24 EACH
5060-6	POLYPROPYLENE	\$.26 EACH
5060-9	POLYCARBONATE	\$.30 EACH
5060-20	KYNAR	\$.48 EACH




5060: Designed for use with 3/16" (4.75 mm) ID and 1/4" (6.25 mm) ID tubing


6060-1	WHITE NYLON	\$.24 EACH
6060-2	BLACK NYLON	\$.24 EACH
6060-6	POLYPROPYLENE	\$.26 EACH
6060-9	POLYCARBONATE	\$.30 EACH
6060-20	KYNAR	\$.52 EACH



6060: Designed for use with 1/4" (6.25 mm) ID tubing




TUBE TO TUBE CONNECTORS




1050: Designed for use with 1/16" (1.5 mm) ID and 3/16" (4.75 mm) ID tubing

1050-1	WHITE NYLON	\$.20 EACH
1050-2	BLACK NYLON	\$.20 EACH
1050-6	POLYPROPYLENE	\$.22 EACH
1050-9	POLYCARBONATE	\$.25 EACH
1050-20	KYNAR	\$.35 EACH




2050: Designed for use with 3/32" (2.5 mm) ID and 3/16" (4.75 mm) ID tubing

2050-1	WHITE NYLON	\$.20 EACH
2050-2	BLACK NYLON	\$.20 EACH
2050-6	POLYPROPYLENE	\$.22 EACH
2050-9	POLYCARBONATE	\$.25 EACH
2050-20	KYNAR	\$.39 EACH



3050: Designed for use with 1/8" (3 mm) ID and 3/16" (4.75 mm) ID tubing

3050-1	WHITE NYLON	\$.22 EACH
3050-2	BLACK NYLON	\$.22 EACH
3050-6	POLYPROPYLENE	\$.24 EACH
3050-9	POLYCARBONATE	\$.27 EACH
3050-20	KYNAR	\$.41 EACH




4050: Designed for use with 5/32" (4 mm) ID and 3/16" (4.75 mm) ID tubing

4050-1	WHITE NYLON	\$.22 EACH
4050-2	BLACK NYLON	\$.22 EACH
4050-6	POLYPROPYLENE	\$.24 EACH
4050-9	POLYCARBONATE	\$.27 EACH
4050-20	KYNAR	\$.43 EACH





5050: Designed for use with 3/16" (4.75 mm) ID tubing

5050-1	WHITE NYLON	\$.22 EACH
5050-2	BLACK NYLON	\$.22 EACH
5050-6	POLYPROPYLENE	\$.24 EACH
5050-9	POLYCARBONATE	\$.27 EACH
5050-20	KYNAR	\$.45 EACH





TUBE TO TUBE "T" CONNECTORS

T210/220-1	WHITE NYLON	\$.25 EACH
T210/220-2	BLACK NYLON	\$.25 EACH
T210/220-6	POLYPROPYLENE	\$.30 EACH
T210/220-9	POLYCARBONATE	\$.33 EACH
T210/220-20	KYNAR	\$.43 EACH





T210/220: Designed for use with 1/16" (1.5 mm) ID and 3/32" (2.25 mm) ID tubing

T210/230-1	WHITE NYLON	\$.28 EACH
T210/230-2	BLACK NYLON	\$.28 EACH
T210/230-6	POLYPROPYLENE	\$.33 EACH
T210/230-9	POLYCARBONATE	\$.36 EACH
T210/230-20	KYNAR	\$.46 EACH





T210/230: Designed for use with 1/16" (1.5 mm) ID and 1/8" (3 mm) ID tubing

T220/210-1	WHITE NYLON	\$.25 EACH
T220/210-2	BLACK NYLON	\$.25 EACH
T220/210-6	POLYPROPYLENE	\$.30 EACH
T220/210-9	POLYCARBONATE	\$.33 EACH
T220/210-20	KYNAR	\$.43 EACH





T220/210: Designed for use with 3/32" (2.25 mm) ID and 1/16" (1.5mm) ID tubing

T220/230-1	WHITE NYLON	\$.28 EACH
T220/230-2	BLACK NYLON	\$.28 EACH
T220/230-6	POLYPROPYLENE	\$.33 EACH
T220/230-9	POLYCARBONATE	\$.36 EACH
T220/230-20	KYNAR	\$.46 EACH





T220/230: Designed for use with 3/32" (2.25 mm) and 1/8" (3 mm) ID tubing

T230/210-1	WHITE NYLON	\$.28 EACH
T230/210-2	BLACK NYLON	\$.28 EACH
T230/210-6	POLYPROPYLENE	\$.33 EACH
T230/210-9	POLYCARBONATE	\$.36 EACH
T230/210-20	KYNAR	\$.46 EACH





T230/210: Designed for use with 1/8" (3 mm) ID and 1/16" (1.5 mm) ID tubing

T230/220-1	WHITE NYLON	\$.28 EACH
T230/220-2	BLACK NYLON	\$.28 EACH
T230/220-6	POLYPROPYLENE	\$.33 EACH
T230/220-9	POLYCARBONATE	\$.36 EACH
T230/220-20	KYNAR	\$.46 EACH





T230/220: Designed for use with 1/8" (3 mm) ID and 3/32" (2.25 mm) ID tubing







TUBE TO TUBE "T" CONNECTORS





T210: Designed for use with 1/16" (1.5 mm) ID tubing

T210-1	WHITE NYLON	\$.20 EACH
T210-2	BLACK NYLON	\$.20 EACH
T210-6	POLYPROPYLENE	\$.25 EACH
T210-9	POLYCARBONATE	\$.28 EACH
T210-20	KYNAR	\$.42 EACH





T220: Designed for use with 3/32" (2.25 mm) ID tubing

T220-1	WHITE NYLON	\$.20 EACH
T220-2	BLACK NYLON	\$.20 EACH
T220-6	POLYPROPYLENE	\$.25 EACH
T220-9	POLYCARBONATE	\$.28 EACH
T220-20	KYNAR	\$.43 EACH





T230: Designed for use with 1/8" (3 mm) ID tubing

T230-1	WHITE NYLON	\$.22 EACH
T230-2	BLACK NYLON	\$.22 EACH
T230-6	POLYPROPYLENE	\$.27 EACH
T230-9	POLYCARBONATE	\$.30 EACH
T230-20	KYNAR	\$.46 EACH





T220R210: Designed for use with 3/32" (2.25 mm) ID and 1/16" (1.5 mm) ID tubing

T220R210-1	WHITE NYLON	\$.25 EACH
T220R210-2	BLACK NYLON	\$.25 EACH
T220R210-6	POLYPROPYLENE	\$.30 EACH
T220R210-9	POLYCARBONATE	\$.33 EACH
T220R210-20	KYNAR	\$.43 EACH




T230R210: Designed for use with 1/8" (3 mm) ID and 1/16" (1.5 mm) ID tubing

T230R210-1	WHITE NYLON	\$.28 EACH
T230R210-2	BLACK NYLON	\$.28 EACH
T230R210-6	POLYPROPYLENE	\$.33 EACH
T230R210-9	POLYCARBONATE	\$.36 EACH
T230R210-20	KYNAR	\$.46 EACH





T230R220: Designed for use with 1/8" (3 mm) ID and 3/32" (2.25 mm) ID tubing

T230R220-1	WHITE NYLON	\$.28 EACH
T230R220-2	BLACK NYLON	\$.28 EACH
T230R220-6	POLYPROPYLENE	\$.33 EACH
T230R220-9	POLYCARBONATE	\$.38 EACH
T230R220-20	KYNAR	\$.46 EACH





TUBE TO TUBE "T" CONNECTORS

T410/420-1	WHITE NYLON	\$.25 EACH
T410/420-2	BLACK NYLON	\$.25 EACH
T410/420-6	POLYPROPYLENE	\$.30 EACH
T410/420-20	KYNAR	\$.43 EACH





T410/420: Designed for use with 1/16" (1.5 mm) ID and 3/32" (2.25 mm) ID tubing

T410/430-1	WHITE NYLON	\$.28 EACH
T410/430-2	BLACK NYLON	\$.28 EACH
T410/430-6	POLYPROPYLENE	\$.33 EACH
T410/430-20	KYNAR	\$.46 EACH





T410/430: Designed for use with 1/16" (1.5 mm) ID and 1/8" (3 mm) ID tubing

T420/410-1	WHITE NYLON	\$.25 EACH
T420/410-2	BLACK NYLON	\$.25 EACH
T420/410-6	POLYPROPYLENE	\$.30 EACH
T420/410-20	KYNAR	\$.43 EACH





T420/410: Designed for use with 3/32" (2.25 mm) ID and 1/16" (1.5 mm) ID tubing

T420/430-1	WHITE NYLON	\$.28 EACH
T420/430-2	BLACK NYLON	\$.28 EACH
T420/430-6	POLYPROPYLENE	\$.33 EACH
T420/430-20	KYNAR	\$.46 EACH





T420/430: Designed for use with 3/32" (2.25 mm) and 1/8" (3 mm) ID tubing

T430/410-1	WHITE NYLON	\$.28 EACH
T430/410-2	BLACK NYLON	\$.28 EACH
T430/410-6	POLYPROPYLENE	\$.33 EACH
T430/410-20	KYNAR	\$.46 EACH




T430/410: Designed for use with 1/8" (3 mm) ID and 1/16" (1.5 mm) ID tubing

T430/420-1	WHITE NYLON	\$.28 EACH
T430/420-2	BLACK NYLON	\$.28 EACH
T430/420-6	POLYPROPYLENE	\$.33 EACH
T430/420-20	KYNAR	\$.46 EACH



T430/420: Designed for use with 1/8" (3 mm) ID and 3/32" (2.25 mm) ID tubing







TUBE TO TUBE "T" CONNECTORS





T410: Designed for use with 1/16" (1.5 mm) ID tubing

T410-1	WHITE NYLON	\$.20 EACH
T410-2	BLACK NYLON	\$.20 EACH
T410-6	POLYPROPYLENE	\$.25 EACH
T410-20	KYNAR	\$.42 EACH





T420: Designed for use with 3/32" (2.25 mm) ID tubing

T420-1	WHITE NYLON	\$.20 EACH
T420-2	BLACK NYLON	\$.20 EACH
T420-6	POLYPROPYLENE	\$.25 EACH
T420-20	KYNAR	\$.43 EACH





T430: Designed for use with 1/8" (3 mm) ID tubing

T430-1	WHITE NYLON	\$.22 EACH
T430-2	BLACK NYLON	\$.22 EACH
T430-6	POLYPROPYLENE	\$.27 EACH
T430-20	KYNAR	\$.46 EACH





T420R410: Designed for use with 3/32" (2.25 mm) ID and 1/16" (1.5 mm) ID tubing

T420R410-1	WHITE NYLON	\$.25 EACH
T420R410-2	BLACK NYLON	\$.25 EACH
T420R410-6	POLYPROPYLENE	\$.30 EACH
T420R410-20	KYNAR	\$.43 EACH



T430R410: Designed for use with 1/8" (3 mm) ID and 1/16" (1.5 mm) ID tubing


T430R410-1	WHITE NYLON	\$.28 EACH
T430R410-2	BLACK NYLON	\$.28 EACH
T430R410-6	POLYPROPYLENE	\$.33 EACH
T430R410-20	KYNAR	\$.46 EACH



T430R420: Designed for use with 1/8" (3 mm) ID and 3/32" (2.25 mm) ID tubing


T430R420-1	WHITE NYLON	\$.28 EACH
T430R420-2	BLACK NYLON	\$.28 EACH
T430R420-6	POLYPROPYLENE	\$.33 EACH
T430R420-20	KYNAR	\$.46 EACH







TUBE TO TUBE "Y" CONNECTORS

Y210-1	WHITE NYLON	\$.20 EACH
Y210-2	BLACK NYLON	\$.20 EACH
Y210-6	POLYPROPYLENE	\$.25 EACH
Y210-9	POLYCARBONATE	\$.28 EACH
Y210-20	KYNAR	\$.46 EACH





Y210: Designed for use with 1/16" (1.5 mm) ID tubing

Y220-1	WHITE NYLON	\$.20 EACH
Y220-2	BLACK NYLON	\$.20 EACH
Y220-6	POLYPROPYLENE	\$.25 EACH
Y220-9	POLYCARBONATE	\$.28 EACH
Y220-20	KYNAR	\$.47 EACH





Y220: Designed for use with 3/32" (2.25 mm) ID tubing

Y230-1	WHITE NYLON	\$.22 EACH
Y230-2	BLACK NYLON	\$.22 EACH
Y230-6	POLYPROPYLENE	\$.27 EACH
Y230-9	POLYCARBONATE	\$.30 EACH
Y230-20	KYNAR	\$.50 EACH





Y230: Designed for use with 1/8" (3 mm) ID tubing

Y250-1	WHITE NYLON	\$.40 EACH
Y250-2	BLACK NYLON	\$.40 EACH
Y250-6	POLYPROPYLENE	\$.45 EACH
Y250-9	POLYCARBONATE	\$.50 EACH
Y250-20	KYNAR	\$.80 EACH




Y250: Designed for use with 3/16" (4.75 mm) ID tubing



Y260-1	WHITE NYLON	\$.45 EACH
Y260-2	BLACK NYLON	\$.45 EACH
Y260-6	POLYPROPYLENE	\$.55 EACH
Y260-9	POLYCARBONATE	\$.61 EACH
Y260-20	KYNAR	\$.95 EACH



Y260: Designed for use with 1/4" (6.25 mm) ID tubing





TUBE TO TUBE "T" CONNECTORS





T10: Designed for use with 1/16" (1.5 mm) ID tubing

T10-1	WHITE NYLON	\$.25 EACH
T10-2	BLACK NYLON	\$.25 EACH
T10-6	POLYPROPYLENE	\$.30 EACH
T10-20	KYNAR	\$.43 EACH





T20: Designed for use with 3/32" (2.25 mm) ID tubing

T20-1	WHITE NYLON	\$.25 EACH
T20-2	BLACK NYLON	\$.25 EACH
T20-6	POLYPROPYLENE	\$.30 EACH
T20-20	KYNAR	\$.46 EACH





T30: Designed for use with 1/8" (3 mm) ID tubing

T30-1	WHITE NYLON	\$.28 EACH
T30-2	BLACK NYLON	\$.28 EACH
T30-6	POLYPROPYLENE	\$.33 EACH
T30-20	KYNAR	\$.55 EACH





T40: Designed for use with 5/32" (4 mm) ID tubing

T40-1	WHITE NYLON	\$.30 EACH
T40-2	BLACK NYLON	\$.30 EACH
T40-6	POLYPROPYLENE	\$.35 EACH
T40-20	KYNAR	\$.66 EACH




T50: Designed for use with 3/16" (4.75 mm) ID tubing

T50-1	WHITE NYLON	\$.35 EACH
T50-2	BLACK NYLON	\$.35 EACH
T50-6	POLYPROPYLENE	\$.40 EACH
T50-20	KYNAR	\$.78 EACH



T60: Designed for use with 1/4" (6.25 mm) ID tubing

T60-1	WHITE NYLON	\$.40 EACH
T60-2	BLACK NYLON	\$.40 EACH
T60-6	POLYPROPYLENE	\$.50 EACH
T60-20	KYNAR	\$.90 EACH



TUBE TO TUBE "L" CONNECTORS

L210-1	WHITE NYLON	\$.20 EACH
L210-2	BLACK NYLON	\$.20 EACH
L210-6	POLYPROPYLENE	\$.25 EACH
L210-9	POLYCARBONATE	\$.28 EACH
L210-20	KYNAR	\$.35 EACH




L210: Designed for use with 1/16" (1.5 mm) ID tubing

L220-1	WHITE NYLON	\$.20 EACH
L220-2	BLACK NYLON	\$.20 EACH
L220-6	POLYPROPYLENE	\$.25 EACH
L220-9	POLYCARBONATE	\$.28 EACH
L220-20	KYNAR	\$.36 EACH



L220: Designed for use with 3/32" (2.25 mm) ID tubing

L230-1	WHITE NYLON	\$.22 EACH
L230-2	BLACK NYLON	\$.22 EACH
L230-6	POLYPROPYLENE	\$.27 EACH
L230-9	POLYCARBONATE	\$.30 EACH
L230-20	KYNAR	\$.39 EACH



L230: Designed for use with 1/8" (3 mm) ID tubing

L220/210-1	WHITE NYLON	\$.25 EACH
L220/210-2	BLACK NYLON	\$.25 EACH
L220/210-6	POLYPROPYLENE	\$.28 EACH
L220/210-9	POLYCARBONATE	\$.33 EACH
L220/210-20	KYNAR	\$.43 EACH



L220/210: Designed for use with 3/32" (2.25 mm) and 1/16" (1.5 mm) ID tubing

L230/210-1	WHITE NYLON	\$.28 EACH
L230/210-2	BLACK NYLON	\$.28 EACH
L230/210-6	POLYPROPYLENE	\$.33 EACH
L230/210-9	POLYCARBONATE	\$.36 EACH
L230/210-20	KYNAR	\$.46 EACH





L230/210: Designed for use with 1/8" (3 mm) ID and 1/16" (1.5 mm) ID tubing

L230/220-1	WHITE NYLON	\$.28 EACH
L230/220-2	BLACK NYLON	\$.28 EACH
L230/220-6	POLYPROPYLENE	\$.33 EACH
L230/220-9	POLYCARBONATE	\$.36 EACH
L230/220-20	KYNAR	\$.46 EACH



L230/220: Designed for use with 1/8" (3 mm) ID and 3/32" (2.25 mm) ID tubing







TUBE TO TUBE "Y" CONNECTORS





Y410: Designed for use with 1/16" (1.5 mm) ID tubing

Y410-1	WHITE NYLON	\$.20 EACH
Y410-2	BLACK NYLON	\$.20 EACH
Y410-6	POLYPROPYLENE	\$.25 EACH
Y410-20	KYNAR	\$.46 EACH





Y420: Designed for use with 3/32" (2.25 mm) ID tubing

Y420-1	WHITE NYLON	\$.20 EACH
Y420-2	BLACK NYLON	\$.20 EACH
Y420-6	POLYPROPYLENE	\$.25 EACH
Y420-20	KYNAR	\$.47 EACH





Y430: Designed for use with 1/8" (3 mm) ID tubing

Y430-1	WHITE NYLON	\$.22 EACH
Y430-2	BLACK NYLON	\$.22 EACH
Y430-6	POLYPROPYLENE	\$.27 EACH
Y430-20	KYNAR	\$.50 EACH




Y450: Designed for use with 3/16" (4.75 mm) ID tubing

Y450-1	WHITE NYLON	\$.40 EACH
Y450-2	BLACK NYLON	\$.40 EACH
Y450-6	POLYPROPYLENE	\$.45 EACH
Y450-20	KYNAR	\$.80 EACH



Y460: Designed for use with 1/4" (6.25 mm) ID tubing

Y460-1	WHITE NYLON	\$.45 EACH
Y460-2	BLACK NYLON	\$.45 EACH
Y460-6	POLYPROPYLENE	\$.55 EACH
Y460-20	KYNAR	\$.95 EACH





TUBE TO TUBE "L" CONNECTORS

L10-1	WHITE NYLON	\$.25 EACH
L10-2	BLACK NYLON	\$.25 EACH
L10-6	POLYPROPYLENE	\$.30 EACH
L10-20	KYNAR	\$.43 EACH





L10: Designed for use with 1/16" (1.5 mm) ID tubing

L20-1	WHITE NYLON	\$.25 EACH
L20-2	BLACK NYLON	\$.25 EACH
L20-6	POLYPROPYLENE	\$.30 EACH
L20-20	KYNAR	\$.46 EACH





L20: Designed for use with 3/32" (2.25 mm) ID tubing

L30-1	WHITE NYLON	\$.28 EACH
L30-2	BLACK NYLON	\$.28 EACH
L30-6	POLYPROPYLENE	\$.33 EACH
L30-20	KYNAR	\$.55 EACH





L30: Designed for use with 1/8" (3 mm) ID tubing

L40-1	WHITE NYLON	\$.30 EACH
L40-2	BLACK NYLON	\$.30 EACH
L40-6	POLYPROPYLENE	\$.35 EACH
L40-20	KYNAR	\$.66 EACH





L40: Designed for use with 5/32" (4 mm) ID tubing

L50-1	WHITE NYLON	\$.35 EACH
L50-2	BLACK NYLON	\$.35 EACH
L50-6	POLYPROPYLENE	\$.40 EACH
L50-20	KYNAR	\$.78 EACH





L50: Designed for use with 3/16" (4.75 mm) ID tubing

L60-1	WHITE NYLON	\$.40 EACH
L60-2	BLACK NYLON	\$.40 EACH
L60-6	POLYPROPYLENE	\$.50 EACH
L60-20	KYNAR	\$.90 EACH



L60: Designed for use with 1/4" (6.25 mm) ID tubing





TUBE TO TUBE "L" CONNECTORS





L410: Designed for use with 1/16" (1.5 mm) ID tubing

L410-1	WHITE NYLON	\$.20 EACH
L410-2	BLACK NYLON	\$.20 EACH
L410-6	POLYPROPYLENE	\$.25 EACH
L410-20	KYNAR	\$.35 EACH



L420: Designed for use with 3/32" (2.25 mm) ID tubing

L420-1	WHITE NYLON	\$.20 EACH
L420-2	BLACK NYLON	\$.20 EACH
L420-6	POLYPROPYLENE	\$.25 EACH
L420-20	KYNAR	\$.36 EACH





L430: Designed for use with 1/8" (3 mm) ID tubing

L430-1	WHITE NYLON	\$.22 EACH
L430-2	BLACK NYLON	\$.22 EACH
L430-6	POLYPROPYLENE	\$.27 EACH
L430-20	KYNAR	\$.46 EACH





L420/410: Designed for use with 3/32" (2.25 mm) ID and 1/16" (1.5 mm) ID tubing

L420/410-1	WHITE NYLON	\$.25 EACH
L420/410-2	BLACK NYLON	\$.25 EACH
L420/410-6	POLYPROPYLENE	\$.30 EACH
L420/410-20	KYNAR	\$.43 EACH



L430/410: Designed for use with 1/8" (3 mm) ID and 1/16" (1.5 mm) ID tubing


L430/410-1	WHITE NYLON	\$.28 EACH
L430/410-2	BLACK NYLON	\$.28 EACH
L430/410-6	POLYPROPYLENE	\$.33 EACH
L430/410-20	KYNAR	\$.46 EACH



L430/420: Designed for use with 1/8" (3 mm) ID and 3/32" (2.25 mm) ID tubing

L430/420-1	WHITE NYLON	\$.28 EACH
L430/420-2	BLACK NYLON	\$.28 EACH
L430/420-6	POLYPROPYLENE	\$.33 EACH
L430/420-20	KYNAR	\$.46 EACH





PRESS-IN PLUGS

PIP10-1	WHITE NYLON	\$.06 EACH
PIP10-2	BLACK NYLON	\$.06 EACH
PIP10-6	POLYPROPYLENE	\$.08 EACH
PIP10-20	KYNAR	\$.17 EACH



PIP10: Designed for use with 1/16" (1.5 mm) ID tubing

PIP20-1	WHITE NYLON	\$.07 EACH
PIP20-2	BLACK NYLON	\$.07 EACH
PIP20-6	POLYPROPYLENE	\$.09 EACH
PIP20-20	KYNAR	\$.19 EACH



PIP20: Designed for use with 3/32" (2.25 mm) ID tubing

PIP30-1	WHITE NYLON	\$.09 EACH
PIP30-2	BLACK NYLON	\$.09 EACH
PIP30-6	POLYPROPYLENE	\$.11 EACH
PIP30-20	KYNAR	\$.21 EACH




PIP30: Designed for use with 1/8" (3 mm) ID tubing

PIP40-1	WHITE NYLON	\$.11 EACH
PIP40-2	BLACK NYLON	\$.11 EACH
PIP40-6	POLYPROPYLENE	\$.13 EACH
PIP40-20	KYNAR	\$.23 EACH



PIP40: Designed for use with 5/32" (4 mm) ID tubing

PIP50-1	WHITE NYLON	\$.13 EACH
PIP50-2	BLACK NYLON	\$.13 EACH
PIP50-6	POLYPROPYLENE	\$.15 EACH
PIP50-20	KYNAR	\$.27 EACH




PIP50: Designed for use with 3/16" (4.75 mm) ID tubing

PIP60-1	WHITE NYLON	\$.15 EACH
PIP60-2	BLACK NYLON	\$.15 EACH
PIP60-6	POLYPROPYLENE	\$.17 EACH
PIP60-20	KYNAR	\$.30 EACH



PIP60: Designed for use with 1/4" (6.25 mm) ID tubing



PRESS-IN PLUGS



PIP210: Designed for use with 1/16" (1.5 mm) ID tubing

PIP210-1	WHITE NYLON	\$.06 EACH
PIP210-2	BLACK NYLON	\$.06 EACH
PIP210-6	POLYPROPYLENE	\$.08 EACH
PIP210-20	KYNAR	\$.17 EACH



PIP220: Designed for use with 3/32" (2.25 mm) ID tubing

PIP220-1	WHITE NYLON	\$.07 EACH
PIP220-2	BLACK NYLON	\$.07 EACH
PIP220-6	POLYPROPYLENE	\$.09 EACH
PIP220-20	KYNAR	\$.19 EACH




PIP230: Designed for use with 1/8" (3 mm) ID tubing

PIP230-1	WHITE NYLON	\$.09 EACH
PIP230-2	BLACK NYLON	\$.09 EACH
PIP230-6	POLYPROPYLENE	\$.11 EACH
PIP230-20	KYNAR	\$.21 EACH



PIP240: Designed for use with 5/32" (4 mm) ID tubing

PIP240-1	WHITE NYLON	\$.11 EACH
PIP240-2	BLACK NYLON	\$.11 EACH
PIP240-6	POLYPROPYLENE	\$.13 EACH
PIP240-20	KYNAR	\$.23 EACH



#10-32 SPECIAL TAPERED THREAD FITTINGS

X410-1	WHITE NYLON	\$.10 EACH
X410-2	BLACK NYLON	\$.10 EACH
X410-3	RED NYLON	\$.10 EACH
X410-4	GREEN NYLON	\$.10 EACH
X410-5	BLUE NYLON	\$.10 EACH
X410-6	POLYPROPYLENE	\$.12 EACH
X410-20	KYNAR	\$.21 EACH



X410: #10-32 special tapered thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

X420-1	WHITE NYLON	\$.10 EACH
X420-2	BLACK NYLON	\$.10 EACH
X420-3	RED NYLON	\$.10 EACH
X420-4	GREEN NYLON	\$.10 EACH
X420-5	BLUE NYLON	\$.10 EACH
X420-6	POLYPROPYLENE	\$.12 EACH
X420-20	KYNAR	\$.22 EACH



X420: #10-32 special tapered thread with 1/4" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

X430-1	WHITE NYLON	\$.10 EACH
X430-2	BLACK NYLON	\$.10 EACH
X430-3	RED NYLON	\$.10 EACH
X430-4	GREEN NYLON	\$.10 EACH
X430-5	BLUE NYLON	\$.10 EACH
X430-6	POLYPROPYLENE	\$.12 EACH
X430-20	KYNAR	\$.23 EACH




X430: #10-32 special tapered thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing

X445-1	WHITE NYLON	\$.10 EACH
X445-2	BLACK NYLON	\$.10 EACH
X445-3	RED NYLON	\$.10 EACH
X445-4	GREEN NYLON	\$.10 EACH
X445-5	BLUE NYLON	\$.10 EACH
X445-6	POLYPROPYLENE	\$.12 EACH
X445-20	KYNAR	\$.25 EACH



X445: #10-32 special tapered thread with 1/4" hex to barb designed for use with .170" (4.25 mm) ID tubing



#10-32 SPECIAL TAPERED THREAD FITTINGS



X210: #10-32 special tapered thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

X210-1	WHITE NYLON	\$.10 EACH
X210-2	BLACK NYLON	\$.10 EACH
X210-3	RED NYLON	\$.10 EACH
X210-4	GREEN NYLON	\$.10 EACH
X210-5	BLUE NYLON	\$.10 EACH
X210-6	POLYPROPYLENE	\$.12 EACH
X210-20	KYNAR	\$.21 EACH



X220: #10-32 special tapered thread with 1/4" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

X220-1	WHITE NYLON	\$.10 EACH
X220-2	BLACK NYLON	\$.10 EACH
X220-3	RED NYLON	\$.10 EACH
X220-4	GREEN NYLON	\$.10 EACH
X220-5	BLUE NYLON	\$.10 EACH
X220-6	POLYPROPYLENE	\$.12 EACH
X220-20	KYNAR	\$.22 EACH



X230: #10-32 special tapered thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing


X230-1	WHITE NYLON	\$.10 EACH
X230-2	BLACK NYLON	\$.10 EACH
X230-3	RED NYLON	\$.10 EACH
X230-4	GREEN NYLON	\$.10 EACH
X230-5	BLUE NYLON	\$.10 EACH
X230-6	POLYPROPYLENE	\$.12 EACH
X230-20	KYNAR	\$.23 EACH



X240: #10-32 special tapered thread with 1/4" hex to barb designed for use with 5/32" (4 mm) ID tubing

X240-1	WHITE NYLON	\$.10 EACH
X240-2	BLACK NYLON	\$.10 EACH
X240-3	RED NYLON	\$.10 EACH
X240-4	GREEN NYLON	\$.10 EACH
X240-5	BLUE NYLON	\$.10 EACH
X240-6	POLYPROPYLENE	\$.12 EACH
X240-20	KYNAR	\$.25 EACH





#10-32 UNF THREAD FITTINGS

K410-1	WHITE NYLON	\$.10 EACH
K410-2	BLACK NYLON	\$.10 EACH
K410-3	RED NYLON	\$.10 EACH
K410-4	GREEN NYLON	\$.10 EACH
K410-5	BLUE NYLON	\$.10 EACH
K410-6	POLYPROPYLENE	\$.12 EACH
K410-20	KYNAR	\$.21 EACH



K410: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

K420-1	WHITE NYLON	\$.10 EACH
K420-2	BLACK NYLON	\$.10 EACH
K420-3	RED NYLON	\$.10 EACH
K420-4	GREEN NYLON	\$.10 EACH
K420-5	BLUE NYLON	\$.10 EACH
K420-6	POLYPROPYLENE	\$.12 EACH
K420-20	KYNAR	\$.22 EACH



K420: #10-32 UNF thread with 1/4" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

K430-1	WHITE NYLON	\$.10 EACH
K430-2	BLACK NYLON	\$.10 EACH
K430-3	RED NYLON	\$.10 EACH
K430-4	GREEN NYLON	\$.10 EACH
K430-5	BLUE NYLON	\$.10 EACH
K430-6	POLYPROPYLENE	\$.12 EACH
K430-20	KYNAR	\$.23 EACH




K430: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing

K445-1	WHITE NYLON	\$.10 EACH
K445-2	BLACK NYLON	\$.10 EACH
K445-3	RED NYLON	\$.10 EACH
K445-4	GREEN NYLON	\$.10 EACH
K445-5	BLUE NYLON	\$.10 EACH
K445-6	POLYPROPYLENE	\$.12 EACH
K445-20	KYNAR	\$.25 EACH



K445: #10-32 UNF thread with 1/4" hex to barb designed for use with .170" (4.25 mm) ID tubing





#10-32 UNF THREAD FITTINGS



K210: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

K210-1	WHITE NYLON	\$.10 EACH
K210-2	BLACK NYLON	\$.10 EACH
K210-3	RED NYLON	\$.10 EACH
K210-4	GREEN NYLON	\$.10 EACH
K210-5	BLUE NYLON	\$.10 EACH
K210-6	POLYPROPYLENE	\$.12 EACH
K210-20	KYNAR	\$.21 EACH



K220: #10-32 UNF thread with 1/4" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

K220-1	WHITE NYLON	\$.10 EACH
K220-2	BLACK NYLON	\$.10 EACH
K220-3	RED NYLON	\$.10 EACH
K220-4	GREEN NYLON	\$.10 EACH
K220-5	BLUE NYLON	\$.10 EACH
K220-6	POLYPROPYLENE	\$.12 EACH
K220-20	KYNAR	\$.22 EACH




K230: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing

K230-1	WHITE NYLON	\$.10 EACH
K230-2	BLACK NYLON	\$.10 EACH
K230-3	RED NYLON	\$.10 EACH
K230-4	GREEN NYLON	\$.10 EACH
K230-5	BLUE NYLON	\$.10 EACH
K230-6	POLYPROPYLENE	\$.12 EACH
K230-20	KYNAR	\$.23 EACH



K240: #10-32 UNF thread with 1/4" hex to barb designed for use with 5/32" (4 mm) ID tubing

K240-1	WHITE NYLON	\$.10 EACH
K240-2	BLACK NYLON	\$.10 EACH
K240-3	RED NYLON	\$.10 EACH
K240-4	GREEN NYLON	\$.10 EACH
K240-5	BLUE NYLON	\$.10 EACH
K240-6	POLYPROPYLENE	\$.12 EACH
K240-20	KYNAR	\$.25 EACH



#10-32 UNF THREAD FITTINGS



X10: #10-32 special tapered thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

X10-1	WHITE NYLON	\$.10 EACH
X10-2	BLACK NYLON	\$.10 EACH
X10-3	RED NYLON	\$.10 EACH
X10-4	GREEN NYLON	\$.10 EACH
X10-5	BLUE NYLON	\$.10 EACH
X10-6	POLYPROPYLENE	\$.12 EACH
X10-20	KYNAR	\$.21 EACH



K10: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

K10-1	WHITE NYLON	\$.10 EACH
K10-2	BLACK NYLON	\$.10 EACH
K10-3	RED NYLON	\$.10 EACH
K10-4	GREEN NYLON	\$.10 EACH
K10-5	BLUE NYLON	\$.10 EACH
K10-6	POLYPROPYLENE	\$.12 EACH
K10-20	KYNAR	\$.21 EACH



B: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing

B-1	WHITE NYLON	\$.10 EACH
B-2	BLACK NYLON	\$.10 EACH
B-3	RED NYLON	\$.10 EACH
B-4	GREEN NYLON	\$.10 EACH
B-5	BLUE NYLON	\$.10 EACH
B-6	POLYPROPYLENE	\$.12 EACH
B-20	KYNAR	\$.23 EACH




C: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing

C-1	WHITE NYLON	\$.10 EACH
C-2	BLACK NYLON	\$.10 EACH
C-3	RED NYLON	\$.10 EACH
C-4	GREEN NYLON	\$.10 EACH
C-5	BLUE NYLON	\$.10 EACH
C-6	POLYPROPYLENE	\$.12 EACH
C-20	KYNAR	\$.23 EACH



D: #10-32 UNF thread with 1/4" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

D-1	WHITE NYLON	\$.10 EACH
D-2	BLACK NYLON	\$.10 EACH
D-3	RED NYLON	\$.10 EACH
D-4	GREEN NYLON	\$.10 EACH
D-5	BLUE NYLON	\$.10 EACH
D-6	POLYPROPYLENE	\$.12 EACH
D-20	KYNAR	\$.22 EACH



1/4-28 UNF THREAD FITTINGS

S210-1	WHITE NYLON	\$.18 EACH
S210-2	BLACK NYLON	\$.18 EACH
S210-6	POLYPROPYLENE	\$.20 EACH
S210-20	KYNAR	\$.28 EACH



S210: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

S220-1	WHITE NYLON	\$.18 EACH
S220-2	BLACK NYLON	\$.18 EACH
S220-6	POLYPROPYLENE	\$.20 EACH
S220-20	KYNAR	\$.29 EACH



S220: 1/4-28 UNF thread with 5/16" hex for barb designed for use with 3/32" (2.25 mm) ID tubing

S230-1	WHITE NYLON	\$.18 EACH
S230-2	BLACK NYLON	\$.18 EACH
S230-6	POLYPROPYLENE	\$.20 EACH
S230-20	KYNAR	\$.31 EACH



S230: 1/4-28 UNF thread with 5/16" hex to barb designed use with 1/8" (3 mm) ID tubing

S240-1	WHITE NYLON	\$.18 EACH
S240-2	BLACK NYLON	\$.18 EACH
S240-6	POLYPROPYLENE	\$.20 EACH
S240-20	KYNAR	\$.35 EACH




S240: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 5/32" (4 mm) ID tubing

S250-1	WHITE NYLON	\$.18 EACH
S250-2	BLACK NYLON	\$.18 EACH
S250-6	POLYPROPYLENE	\$.20 EACH
S250-20	KYNAR	\$.42 EACH



S250: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing



1/4-28 UNF THREAD FITTINGS



S410: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

S410-1	WHITE NYLON	\$.18 EACH
S410-2	BLACK NYLON	\$.18 EACH
S410-6	POLYPROPYLENE	\$.20 EACH
S410-20	KYNAR	\$.28 EACH



S420: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

S420-1	WHITE NYLON	\$.18 EACH
S420-2	BLACK NYLON	\$.18 EACH
S420-6	POLYPROPYLENE	\$.20 EACH
S420-20	KYNAR	\$.29 EACH



S430: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

S430-1	WHITE NYLON	\$.18 EACH
S430-2	BLACK NYLON	\$.18 EACH
S430-6	POLYPROPYLENE	\$.20 EACH
S430-20	KYNAR	\$.31 EACH



S445: 1/4-28 UNF thread with 5/16" hex to barb designed for use with .170" (4.25 mm) ID tubing


S445-1	WHITE NYLON	\$.18 EACH
S445-2	BLACK NYLON	\$.18 EACH
S445-6	POLYPROPYLENE	\$.20 EACH
S445-20	KYNAR	\$.35 EACH



S450: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing

S450-1	WHITE NYLON	\$.18 EACH
S450-2	BLACK NYLON	\$.18 EACH
S450-6	POLYPROPYLENE	\$.20 EACH
S450-20	KYNAR	\$.42 EACH





1/4-28 UNF THREAD FITTINGS

S10-1	WHITE NYLON	\$.18 EACH
S10-2	BLACK NYLON	\$.18 EACH
S10-6	POLYPROPYLENE	\$.20 EACH
S10-20	KYNAR	\$.28 EACH



S10: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

S20-1	WHITE NYLON	\$.18 EACH
S20-2	BLACK NYLON	\$.18 EACH
S20-6	POLYPROPYLENE	\$.20 EACH
S20-20	KYNAR	\$.29 EACH



S20: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

S30-1	WHITE NYLON	\$.18 EACH
S30-2	BLACK NYLON	\$.18 EACH
S30-6	POLYPROPYLENE	\$.20 EACH
S30-20	KYNAR	\$.31 EACH



S30: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

S40-1	WHITE NYLON	\$.18 EACH
S40-2	BLACK NYLON	\$.18 EACH
S40-6	POLYPROPYLENE	\$.20 EACH
S40-20	KYNAR	\$.35 EACH




S40: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 5/32" (4 mm) ID tubing

S50-1	WHITE NYLON	\$.18 EACH
S50-2	BLACK NYLON	\$.18 EACH
S50-6	POLYPROPYLENE	\$.20 EACH
S50-20	KYNAR	\$.42 EACH



S50: 1/4-28 UNF thread with 5/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing



M6 X 1 THREAD FITTINGS



M6210: M6 X 1 thread with 5/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

M6210-1	WHITE NYLON	\$.18 EACH
M6210-2	BLACK NYLON	\$.18 EACH
M6210-6	POLYPROPYLENE	\$.20 EACH
M6210-20	KYNAR	\$.28 EACH



M6220: M6 X 1 thread with 5/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

M6220-1	WHITE NYLON	\$.18 EACH
M6220-2	BLACK NYLON	\$.18 EACH
M6220-6	POLYPROPYLENE	\$.20 EACH
M6220-20	KYNAR	\$.29 EACH



M6230: M6 X 1 thread with 5/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

M6230-1	WHITE NYLON	\$.18 EACH
M6230-2	BLACK NYLON	\$.18 EACH
M6230-6	POLYPROPYLENE	\$.20 EACH
M6230-20	KYNAR	\$.31 EACH




M6240: M6 X 1 thread with 5/16" hex to barb designed for use with 5/32" (4 mm) ID tubing

M6240-1	WHITE NYLON	\$.18 EACH
M6240-2	BLACK NYLON	\$.18 EACH
M6240-6	POLYPROPYLENE	\$.20 EACH
M6240-20	KYNAR	\$.35 EACH



M6250: M6 X 1 thread with 5/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing

M6250-1	WHITE NYLON	\$.18 EACH
M6250-2	BLACK NYLON	\$.18 EACH
M6250-6	POLYPROPYLENE	\$.20 EACH
M6250-20	KYNAR	\$.42 EACH



M6 X 1 THREAD FITTINGS

M6410-1	WHITE NYLON	\$.18 EACH
M6410-2	BLACK NYLON	\$.18 EACH
M6410-6	POLYPROPYLENE	\$.20 EACH
M6410-20	KYNAR	\$.28 EACH



M6410: M6 X 1 thread with 5/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

M6420-1	WHITE NYLON	\$.18 EACH
M6420-2	BLACK NYLON	\$.18 EACH
M6420-6	POLYPROPYLENE	\$.20 EACH
M6420-20	KYNAR	\$.29 EACH



M6420: M6 X 1 thread with 5/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

M6430-1	WHITE NYLON	\$.18 EACH
M6430-2	BLACK NYLON	\$.18 EACH
M6430-6	POLYPROPYLENE	\$.20 EACH
M6430-20	KYNAR	\$.31 EACH



M6430: M6 X 1 thread with 5/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

M6445-1	WHITE NYLON	\$.18 EACH
M6445-2	BLACK NYLON	\$.18 EACH
M6445-6	POLYPROPYLENE	\$.20 EACH
M6445-20	KYNAR	\$.35 EACH




M6445: M6 X 1 thread with 5/16" hex to barb designed for use with .170" (4.25 mm) ID tubing

M6450-1	WHITE NYLON	\$.18 EACH
M6450-2	BLACK NYLON	\$.18 EACH
M6450-6	POLYPROPYLENE	\$.20 EACH
M6450-20	KYNAR	\$.42 EACH



M6450: M6 X 1 thread with 5/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing



1/16-27 NPT THREAD FITTINGS



16210: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

16210-1	WHITE NYLON	\$.20 EACH
16210-2	BLACK NYLON	\$.20 EACH
16210-6	POLYPROPYLENE	\$.25 EACH
16210-20	KYNAR	\$.30 EACH



16220: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

16220-1	WHITE NYLON	\$.20 EACH
16220-2	BLACK NYLON	\$.20 EACH
16220-6	POLYPROPYLENE	\$.25 EACH
16220-20	KYNAR	\$.31 EACH



16230: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

16230-1	WHITE NYLON	\$.21 EACH
16230-2	BLACK NYLON	\$.21 EACH
16230-6	POLYPROPYLENE	\$.26 EACH
16230-20	KYNAR	\$.33 EACH




16240: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 5/32" (4 mm) ID tubing

16240-1	WHITE NYLON	\$.22 EACH
16240-2	BLACK NYLON	\$.22 EACH
16240-6	POLYPROPYLENE	\$.27 EACH
16240-20	KYNAR	\$.37 EACH



16250: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing

16250-1	WHITE NYLON	\$.25 EACH
16250-2	BLACK NYLON	\$.25 EACH
16250-6	POLYPROPYLENE	\$.30 EACH
16250-20	KYNAR	\$.44 EACH



1/16-27 NPT THREAD FITTINGS

16410-1	WHITE NYLON	\$.20 EACH
16410-2	BLACK NYLON	\$.20 EACH
16410-6	POLYPROPYLENE	\$.25 EACH
16410-20	KYNAR	\$.30 EACH



16410: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

16420-1	WHITE NYLON	\$.20 EACH
16420-2	BLACK NYLON	\$.20 EACH
16420-6	POLYPROPYLENE	\$.25 EACH
16420-20	KYNAR	\$.31 EACH



16420: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

16430-1	WHITE NYLON	\$.21 EACH
16430-2	BLACK NYLON	\$.21 EACH
16430-6	POLYPROPYLENE	\$.26 EACH
16430-20	KYNAR	\$.33 EACH



16430: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

16445-1	WHITE NYLON	\$.22 EACH
16445-2	BLACK NYLON	\$.22 EACH
16445-6	POLYPROPYLENE	\$.27 EACH
16445-20	KYNAR	\$.37 EACH




16445: 1/16-27 NPT thread with 5/16" hex to barb designed for use with .170" (4.25 mm) ID tubing

16450-1	WHITE NYLON	\$.25 EACH
16450-2	BLACK NYLON	\$.25 EACH
16450-6	POLYPROPYLENE	\$.30 EACH
16450-20	KYNAR	\$.44 EACH



16450: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing



1/16-27 NPT THREAD FITTINGS



1610: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

1610-1	WHITE NYLON	\$.20 EACH
1610-2	BLACK NYLON	\$.20 EACH
1610-6	POLYPROPYLENE	\$.25 EACH
1610-20	KYNAR	\$.30 EACH



1620: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

1620-1	WHITE NYLON	\$.20 EACH
1620-2	BLACK NYLON	\$.20 EACH
1620-6	POLYPROPYLENE	\$.25 EACH
1620-20	KYNAR	\$.31 EACH



1630: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

1630-1	WHITE NYLON	\$.21 EACH
1630-2	BLACK NYLON	\$.21 EACH
1630-6	POLYPROPYLENE	\$.26 EACH
1630-20	KYNAR	\$.33 EACH




1640: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 5/32" (4 mm) ID tubing

1640-1	WHITE NYLON	\$.22 EACH
1640-2	BLACK NYLON	\$.22 EACH
1640-6	POLYPROPYLENE	\$.27 EACH
1640-20	KYNAR	\$.37 EACH



1650: 1/16-27 NPT thread with 5/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing

1650-1	WHITE NYLON	\$.25 EACH
1650-2	BLACK NYLON	\$.25 EACH
1650-6	POLYPROPYLENE	\$.30 EACH
1650-20	KYNAR	\$.44 EACH



1/8-27 NPT THREAD FITTINGS

18210-1	WHITE NYLON	\$.22 EACH
18210-2	BLACK NYLON	\$.22 EACH
18210-6	POLYPROPYLENE	\$.27 EACH
18210-20	KYNAR	\$.34 EACH



18210: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

18220-1	WHITE NYLON	\$.23 EACH
18220-2	BLACK NYLON	\$.23 EACH
18220-6	POLYPROPYLENE	\$.28 EACH
18220-20	KYNAR	\$.35 EACH




18220: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

18230-1	WHITE NYLON	\$.24 EACH
18230-2	BLACK NYLON	\$.24 EACH
18230-6	POLYPROPYLENE	\$.29 EACH
18230-20	KYNAR	\$.37 EACH




18230: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

18240-1	WHITE NYLON	\$.25 EACH
18240-2	BLACK NYLON	\$.25 EACH
18240-6	POLYPROPYLENE	\$.30 EACH
18240-20	KYNAR	\$.42 EACH



18240: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 5/32" (4 mm) ID tubing



1/8-27 NPT THREAD FITTINGS



18410: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

18410-1	WHITE NYLON	\$.22 EACH
18410-2	BLACK NYLON	\$.22 EACH
18410-6	POLYPROPYLENE	\$.27 EACH
18410-20	KYNAR	\$.34 EACH



18420: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

18420-1	WHITE NYLON	\$.23 EACH
18420-2	BLACK NYLON	\$.23 EACH
18420-6	POLYPROPYLENE	\$.28 EACH
18420-20	KYNAR	\$.35 EACH



18430: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 1/8" (3 mm) ID tubing


18430-1	WHITE NYLON	\$.24 EACH
18430-2	BLACK NYLON	\$.24 EACH
18430-6	POLYPROPYLENE	\$.29 EACH
18430-20	KYNAR	\$.37 EACH



18445: 1/8-27 NPT thread with 7/16" hex to barb designed for use with .170" (4.25 mm) ID tubing

18445-1	WHITE NYLON	\$.25 EACH
18445-2	BLACK NYLON	\$.25 EACH
18445-6	POLYPROPYLENE	\$.30 EACH
18445-20	KYNAR	\$.42 EACH





1/8-27 NPT THREAD FITTINGS

1810-1	WHITE NYLON	\$.22 EACH
1810-2	BLACK NYLON	\$.22 EACH
1810-6	POLYPROPYLENE	\$.27 EACH
1810-20	KYNAR	\$.34 EACH



1810: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

1820-1	WHITE NYLON	\$.23 EACH
1820-2	BLACK NYLON	\$.23 EACH
1820-6	POLYPROPYLENE	\$.28 EACH
1820-20	KYNAR	\$.35 EACH




1820: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

1830-1	WHITE NYLON	\$.24 EACH
1830-2	BLACK NYLON	\$.24 EACH
1830-6	POLYPROPYLENE	\$.29 EACH
1830-20	KYNAR	\$.37 EACH




1830: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

1840-1	WHITE NYLON	\$.25 EACH
1840-2	BLACK NYLON	\$.25 EACH
1840-6	POLYPROPYLENE	\$.30 EACH
1840-20	KYNAR	\$.42 EACH



1840: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 5/32" (4 mm) ID tubing

1850-1	WHITE NYLON	\$.27 EACH
1850-2	BLACK NYLON	\$.27 EACH
1850-6	POLYPROPYLENE	\$.32 EACH
1850-20	KYNAR	\$.48 EACH




1850: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing

1860-1	WHITE NYLON	\$.30 EACH
1860-2	BLACK NYLON	\$.30 EACH
1860-6	POLYPROPYLENE	\$.35 EACH
1860-20	KYNAR	\$.55 EACH



1860: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 1/4" (6.25 mm) ID tubing




#10-32 SPECIAL TAPERED THREAD "L" FITTINGS





XL210: #10-32 special tapered thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

XL210-1	WHITE NYLON	\$.20 EACH
XL210-2	BLACK NYLON	\$.20 EACH
XL210-6	POLYPROPYLENE	\$.25 EACH
XL210-20	KYNAR	\$.35 EACH



XL220: #10-32 special tapered thread with 1/4" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

XL220-1	WHITE NYLON	\$.20 EACH
XL220-2	BLACK NYLON	\$.20 EACH
XL220-6	POLYPROPYLENE	\$.25 EACH
XL220-20	KYNAR	\$.36 EACH





XL230: #10-32 special tapered thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing

XL230-1	WHITE NYLON	\$.23 EACH
XL230-2	BLACK NYLON	\$.23 EACH
XL230-6	POLYPROPYLENE	\$.28 EACH
XL230-20	KYNAR	\$.39 EACH





XL410: #10-32 special tapered thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

XL410-1	WHITE NYLON	\$.20 EACH
XL410-2	BLACK NYLON	\$.20 EACH
XL410-6	POLYPROPYLENE	\$.25 EACH
XL410-20	KYNAR	\$.35 EACH



XL420: #10-32 special tapered thread with 1/4" hex to barb designed for use with 3/32" (2.25 mm) ID tubing


XL420-1	WHITE NYLON	\$.20 EACH
XL420-2	BLACK NYLON	\$.20 EACH
XL420-6	POLYPROPYLENE	\$.25 EACH
XL420-20	KYNAR	\$.36 EACH



XL430: #10-32 special tapered thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing

XL430-1	WHITE NYLON	\$.23 EACH
XL430-2	BLACK NYLON	\$.23 EACH
XL430-6	POLYPROPYLENE	\$.28 EACH
XL430-20	KYNAR	\$.39 EACH






#10-32 UNF THREAD "L" FITTINGS

KL210-1	WHITE NYLON	\$.20 EACH
KL210-2	BLACK NYLON	\$.20 EACH
KL210-6	POLYPROPYLENE	\$.25 EACH
KL210-20	KYNAR	\$.35 EACH





KL210: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

KL220-1	WHITE NYLON	\$.20 EACH
KL220-2	BLACK NYLON	\$.20 EACH
KL220-6	POLYPROPYLENE	\$.25 EACH
KL220-20	KYNAR	\$.36 EACH



KL220: #10-32 UNF thread with 1/4" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

KL230-1	WHITE NYLON	\$.23 EACH
KL230-2	BLACK NYLON	\$.23 EACH
KL230-6	POLYPROPYLENE	\$.28 EACH
KL230-20	KYNAR	\$.39 EACH




KL230: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing

KL410-1	WHITE NYLON	\$.20 EACH
KL410-2	BLACK NYLON	\$.20 EACH
KL410-6	POLYPROPYLENE	\$.25 EACH
KL410-20	KYNAR	\$.35 EACH





KL410: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/16" (1.5 mm) ID tubing

KL420-1	WHITE NYLON	\$.20 EACH
KL420-2	BLACK NYLON	\$.20 EACH
KL420-6	POLYPROPYLENE	\$.25 EACH
KL420-20	KYNAR	\$.36 EACH




KL420: #10-32 UNF thread with 1/4" hex to barb designed for use with 3/32" (2.25 mm) ID tubing

KL430-1	WHITE NYLON	\$.23 EACH
KL430-2	BLACK NYLON	\$.23 EACH
KL430-6	POLYPROPYLENE	\$.28 EACH
KL430-20	KYNAR	\$.39 EACH



KL430: #10-32 UNF thread with 1/4" hex to barb designed for use with 1/8" (3 mm) ID tubing





#10-32 SPECIAL TAPERED THREAD "T" FITTINGS





XT210: #10-32 special tapered thread with 1/4" hex to barbs designed for use with 1/16" (1.5 mm) ID tubing

XT210-1	WHITE NYLON	\$.25 EACH
XT210-2	BLACK NYLON	\$.25 EACH
XT210-6	POLYPROPYLENE	\$.30 EACH
XT210-20	KYNAR	\$.42 EACH



XT220: #10-32 special tapered thread with 1/4" hex to barbs designed for use with 3/32" (2.25 mm) ID tubing

XT220-1	WHITE NYLON	\$.25 EACH
XT220-2	BLACK NYLON	\$.25 EACH
XT220-6	POLYPROPYLENE	\$.30 EACH
XT220-20	KYNAR	\$.43 EACH





XT230: #10-32 special tapered thread with 1/4" hex to barbs designed for use with 1/8" (3 mm) ID tubing

XT230-1	WHITE NYLON	\$.28 EACH
XT230-2	BLACK NYLON	\$.28 EACH
XT230-6	POLYPROPYLENE	\$.33 EACH
XT230-20	KYNAR	\$.46 EACH





XT410: #10-32 special tapered thread with 1/4" hex to barbs designed for use with 1/16" (1.5 mm) ID tubing

XT410-1	WHITE NYLON	\$.25 EACH
XT410-2	BLACK NYLON	\$.25 EACH
XT410-6	POLYPROPYLENE	\$.30 EACH
XT410-20	KYNAR	\$.42 EACH



XT420: #10-32 special tapered thread with 1/4" hex to barbs designed for use with 3/32" (2.25 mm) ID tubing


XT420-1	WHITE NYLON	\$.25 EACH
XT420-2	BLACK NYLON	\$.25 EACH
XT420-6	POLYPROPYLENE	\$.30 EACH
XT420-20	KYNAR	\$.43 EACH



XT430: #10-32 special tapered thread with 1/4" hex to barbs designed for use with 1/8" (3 mm) ID tubing



XT430-1	WHITE NYLON	\$.28 EACH
XT430-2	BLACK NYLON	\$.28 EACH
XT430-6	POLYPROPYLENE	\$.33 EACH
XT430-20	KYNAR	\$.46 EACH







#10-32 UNF THREAD "T" FITTINGS

KT210-1	WHITE NYLON	\$.25 EACH
KT210-2	BLACK NYLON	\$.25 EACH
KT210-6	POLYPROPYLENE	\$.30 EACH
KT210-20	KYNAR	\$.42 EACH





KT210: #10-32 UNF thread with 1/4" hex to barbs designed for use with 1/16" (1.5 mm) ID tubing

KT220-1	WHITE NYLON	\$.25 EACH
KT220-2	BLACK NYLON	\$.25 EACH
KT220-6	POLYPROPYLENE	\$.30 EACH
KT220-20	KYNAR	\$.43 EACH



KT220: #10-32 UNF thread with 1/4" hex to barbs designed for use with 3/32" (2.25 mm) ID tubing

KT230-1	WHITE NYLON	\$.28 EACH
KT230-2	BLACK NYLON	\$.28 EACH
KT230-6	POLYPROPYLENE	\$.33 EACH
KT230-20	KYNAR	\$.46 EACH





KT230: #10-32 UNF thread with 1/4" hex to barbs designed for use with 1/8" (3 mm) ID tubing

KT410-1	WHITE NYLON	\$.25 EACH
KT410-2	BLACK NYLON	\$.25 EACH
KT410-6	POLYPROPYLENE	\$.30 EACH
KT410-20	KYNAR	\$.42 EACH





KT410: #10-32 UNF thread with 1/4" hex to barbs designed for use with 1/16" (1.5 mm) ID tubing

KT420-1	WHITE NYLON	\$.25 EACH
KT420-2	BLACK NYLON	\$.25 EACH
KT420-6	POLYPROPYLENE	\$.30 EACH
KT420-20	KYNAR	\$.43 EACH




KT420: #10-32 UNF thread with 1/4" hex to barbs designed for use with 3/32" (2.25 mm) ID tubing



KT430-1	WHITE NYLON	\$.28 EACH
KT430-2	BLACK NYLON	\$.28 EACH
KT430-6	POLYPROPYLENE	\$.33 EACH
KT430-20	KYNAR	\$.46 EACH



KT430: #10-32 UNF thread with 1/4" hex to barbs designed for use with 1/8" (3 mm) ID tubing





1/8-27 NPT THREAD "T" AND "L" CONNECTORS





18L230: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 1/8" (3 mm) ID tubing

18L230-1	WHITE NYLON	\$.42 EACH
18L230-2	BLACK NYLON	\$.42 EACH
18L230-6	POLYPROPYLENE	\$.50 EACH
18L230-20	KYNAR	\$.80 EACH





18L250: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 3/16" (4.75 mm) ID tubing

18L250-1	WHITE NYLON	\$.45 EACH
18L250-2	BLACK NYLON	\$.45 EACH
18L250-6	POLYPROPYLENE	\$.54 EACH
18L250-20	KYNAR	\$.84 EACH





18L260: 1/8-27 NPT thread with 7/16" hex to barb designed for use with 1/4" (6.25 mm) ID tubing

18L260-1	WHITE NYLON	\$.50 EACH
18L260-2	BLACK NYLON	\$.50 EACH
18L260-6	POLYPROPYLENE	\$.60 EACH
18L260-20	KYNAR	\$.88 EACH




18T250: 1/8-27 NPT thread with 7/16" hex to barbs designed for use with 3/16" (4.75 mm) ID tubing

18T250-1	WHITE NYLON	\$.45 EACH
18T250-2	BLACK NYLON	\$.45 EACH
18T250-6	POLYPROPYLENE	\$.54 EACH
18T250-20	KYNAR	\$.91 EACH



18T260: 1/8-27 NPT thread with 7/16" hex to barbs designed for use with 1/4" (6.25 mm) ID tubing

18T260-1	WHITE NYLON	\$.50 EACH
18T260-2	BLACK NYLON	\$.50 EACH
18T260-6	POLYPROPYLENE	\$.60 EACH
18T260-20	KYNAR	\$.96 EACH



THREADED COUPLERS AND PLUGS

XN-1	WHITE NYLON	\$.10 EACH
XN-2	BLACK NYLON	\$.10 EACH
XN-6	POLYPROPYLENE	\$.12 EACH
XN-20	KYNAR	\$.20 EACH



XN: #10-32 special tapered threaded coupler with 1/4" hex

KN-1	WHITE NYLON	\$.10 EACH
KN-2	BLACK NYLON	\$.10 EACH
KN-6	POLYPROPYLENE	\$.12 EACH
KN-20	KYNAR	\$.20 EACH



KN: #10-32 UNF threaded coupler with 1/4" hex

XP-1	WHITE NYLON	\$.10 EACH
XP-2	BLACK NYLON	\$.10 EACH
XP-6	POLYPROPYLENE	\$.12 EACH
XP-20	KYNAR	\$.20 EACH



XP: #10-32 special tapered threaded plug with 1/4" hex

KP-1	WHITE NYLON	\$.10 EACH
KP-2	BLACK NYLON	\$.10 EACH
KP-6	POLYPROPYLENE	\$.12 EACH
KP-20	KYNAR	\$.20 EACH




KP: #10-32 UNF threaded plug with 1/4" hex

SP-1	WHITE NYLON	\$.10 EACH
SP-2	BLACK NYLON	\$.10 EACH
SP-6	POLYPROPYLENE	\$.12 EACH
SP-20	KYNAR	\$.28 EACH



SP: 1/4-28 UNF threaded plug with 1/4" hex






THREADED PLUGS AND PORT REDUCERS




M6P: M6 X 1 threaded plug with 5/16" hex

M6P-1	WHITE NYLON	\$.18 EACH
M6P-2	BLACK NYLON	\$.18 EACH
M6P-6	POLYPROPYLENE	\$.20 EACH
M6P-20	KYNAR	\$.28 EACH



1600: 1/16-27 NPT threaded plug with 5/16" hex

1600-1	WHITE NYLON	\$.15 EACH
1600-2	BLACK NYLON	\$.15 EACH
1600-6	POLYPROPYLENE	\$.18 EACH
1600-20	KYNAR	\$.40 EACH



1800: 1/8-27 NPT threaded plug with 7/16" hex

1800-1	WHITE NYLON	\$.15 EACH
1800-2	BLACK NYLON	\$.15 EACH
1800-6	POLYPROPYLENE	\$.18 EACH
1800-20	KYNAR	\$.40 EACH



1801: Reducer with 1/8-27 NPT thread and 7/16" hex to #10-32 UNF female thread


1801-1	WHITE NYLON	\$.30 EACH
1801-2	BLACK NYLON	\$.30 EACH
1801-6	POLYPROPYLENE	\$.35 EACH
1801-20	KYNAR	\$.55 EACH



1802: Reducer with 1/8-27 NPT thread and 7/16" hex to 1/4-28 UNF female thread

1802-1	WHITE NYLON	\$.30 EACH
1802-2	BLACK NYLON	\$.30 EACH
1802-6	POLYPROPYLENE	\$.35 EACH
1802-20	KYNAR	\$.55 EACH





PORT REDUCERS • ULTRASONIC FITTINGS

1401-1	WHITE NYLON	\$.30 EACH
1401-2	BLACK NYLON	\$.30 EACH
1401-6	POLYPROPYLENE	\$.35 EACH
1401-20	KYNAR	\$.80 EACH



1401: Reducer with 1/4-18 NPT thread and 9/16" hex to #10-32 UNF female thread

1402-1	WHITE NYLON	\$.30 EACH
1402-2	BLACK NYLON	\$.30 EACH
1402-6	POLYPROPYLENE	\$.35 EACH
1402-20	KYNAR	\$.80 EACH



1402: Reducer with 1/4-18 NPT thread and 9/16" hex to 1/4-28 UNF female thread

U10-1	WHITE NYLON	\$.10 EACH
U10-2	BLACK NYLON	\$.10 EACH
U10-7	GLASS FILLED NYLON	\$.12 EACH



U10: 1/4" ultrasonically weldable fitting to barb designed for use with 1/16" (1.5 mm) ID tubing

U20-1	WHITE NYLON	\$.10 EACH
U20-2	BLACK NYLON	\$.10 EACH
U20-7	GLASS FILLED NYLON	\$.12 EACH



U20: 1/4" ultrasonically weldable fitting to barb designed for use with 3/32" (2.25 mm) ID tubing

U30-1	WHITE NYLON	\$.10 EACH
U30-2	BLACK NYLON	\$.10 EACH
U30-7	GLASS FILLED NYLON	\$.12 EACH



U30: 1/4" ultrasonically weldable fitting to barb designed for use with 1/8" (3 mm) ID tubing

